Product Name : PowerBright Pre-treatment Liquid(1 Gallon / 3.8L) SDS Number : 342098 Date Prepared : 24/05/2017 Date Modified : 01/08/2018 Date : 28/05/2019

## RICOH

### Safety Data Sheet (ISO form)

### 1. Product and Company Identification

Product Name General Use SDS Number	:PowerBright Pre-treatment Liquid(1 Gallon / 3.8L) :Fixing agent of ink for inkjet printer :342098
Company Name	: Ricoh Company,Ltd.
Department	Product Safety Engineering Department, Safety and Environmental
	Engineering Center, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

### 2.Composition/Information on Ingredients

#### Substance or Preparation

#### Preparation Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Calcium chloride	CaCl2	10043-52-4	<10
Urethane polymer	Confidential	Confidential	<5
Water	H2O	7732-18-5	85-95

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

### 3. Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use. Environmental Effects

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use. Specific Hazards

There are no significant hazards expected with intended use.

Product Name : PowerBright Pre-treatment Liquid(1 Gallon / 3.8L) SDS Number : 342098 Date Prepared : 24/05/2017 Date Modified : 01/08 2018 OutputDate : 28/05/2019

\_\_\_\_\_

**RICOH** 

Main Symptoms	
Acute Inhalation Toxicity	
Under normal use conditions, there is no possibility to inhale the particle of ink.	
Acute Oral Toxicity	
Low acute toxicity in animal experiment.	
Acute Eye Irritation	
May be non-irritant.	
Acute Skin Irritation	
May be non-irritant.	
Sensitization	
From test no apparent significant hazards are expected.	
Chronic Effect	
Under normal use conditions, there is no possibility to inhale the particle of ink.	
Carcinogenicity	
This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.	
The Classification of The Chemical Product	
This preparation is not classified as dangerous according to Regulation (EC) No 1272/200	)8.
4.First-Aid Measures	
Inhalation	
Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.	
Skin Contact	
Wash thoroughly with soapy water.	
Eye Contact	
Flush with a large amount of water until particles are removed. Seek medical advice.	
Ingestion	
If swallowed, rinse mouth, do not induce vomiting. / If necessary, seek medical advice.	
Notes to a physician	
Not applicable	
5.Fire-Fighting Measures	
Extinguishing Media	
CO2, dry chemicals, foam or water.	
Extinguishing Media to Avoid	
Not applicable	
Specific Hazards	
Not applicable	
Specific Method	

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters Wear glives, glasses, a mask if necessary.

### 6.Accidental Release Measures

Personal Precautions Take off contaminated clothing and launder or dry-clean before wear again. Environment Precautions Do not flush into sewers or watercourses. Methods for Cleaning Up When spilt, wipe off with paper or cloth. Product Name : PowerBright Pre-treatment Liquid(1 Gallon / 3.8L) SDS Number : 342098 Date Prepared : 24/05/2017 Date Modified : 01/08/2018 Output Date : 28/05/2019

RICOH

7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. **Packaging Material** Not applicable Specific Use(s) Fixing agent of ink for inkjet printe

### 8. Exposure Controls/Personal Protection

**Technical Measures** Use adequate ventilation. None required with intended use. **Control Parameters** USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection **Respiratory Protections** None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

### 9. Physical and Chemical Properties

: Liquid	
: Liquid	
: Colorless	
: No odour	
Measuring Temp (degrees cer	ntigrade) : 25
tures/Temperature Ranges at Wh	ich Changes in Physical State Occur
grees : Not available	<b>č</b>
•	
int (degrees : Not available	
emperature (degrees : N	lot available
i	: Liquid : Colorless : No odour Measuring Temp (degrees cer ures/Temperature Ranges at Whi grees : Not available nt (degrees : Not available

Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)

Not applicableThis product is considered a nonexplosive material under normal use.

Product Name : PowerBright Pre-treatment Liquid(1 Gallon / 3.8L) SDS Number : 342098 Date Prepared : 24/05/2017 Date Modified : 01/08/2018 OutputDate : 28/05/2019

# **RICOH**

Vapor Pressure (Pa)	Not available	
Vapor Density(AIR=1)	Not available	
Density (g/cm3)	Not available	Measuring Temp (degrees centigrade) :
Solubility		

Solubility Water Solubility (g/L) : Soluble Octanol/Water Partition Coefficient Not available Other Information Flammability : Not flammable Viscosity (Pa:s) : Not available

### Viscosity (Pa·s) : Not available Volatile (%) : 85-95

10.Stability and Reactivity Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

### 11.Toxicological Information

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat) (OECD TG 423)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (OECD TG 404)
Acute Eye Irritation :
Non-irritant (Rabbit) (OECD TG 405)
Sensitization
Acute Allergenic Effects :
0 % (Mouse) (OECD TG 429)
Specific Effects
Carcinogenicity :
This product does not contain the carcinogenic substances which are listed on NTP, IARC and
OSHA.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Informat Mobility	tion : No data are available on the adverse effect one environment.	
Persistence/Degradabilit		
y Bioaccumulation	: Not available	
Ecotoxicity		
Acute Toxicity for Fish (	(LC50) : Not available	
Acute Toxicity for Daph	nia : Not available	
(EC50)		
Algae Inhibition Test (IC50)	: Not available	

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions:

Not applicable

14. Transport Information

14. 1181150011 11101118	uon
International Regulation	S
Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
The UN Classification	: Not applicable
Number	
Class	: Not applicable
Specific Precautionary T Avoid direct sunlight	ransport Measures and conditions
<b>U</b>	

### 15.Regulatory Information

Regulations
EU Information
Information on the label (Regulation (EC) No 1272/2008)
Symbols & Indications : Not required
R-Phrase : Not required
S-Phrase : Not required
(EC) No 1907/2006 Annex XVII
This product complies with applicable rules and regulations under (EC) No 1907/2006 Annex XVII
(EC) No. 689/2008
Not regulated
US Information
Information on the label : Not required
TSCA (Toxic Substances Control Act) :

This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

## **RICOH**

16. Other Information NFPA Hazard Rating: National Fire Protection Agency (USA) Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA) Health; 1, Flammability; 1, Reactivity; 0 Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261 H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299 IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT" ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and **Biological Exposure Indices OSHA** Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology **Program Annual Report on Carcinogens** DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC (EC) No 1907/2006 : Regulation (EC) No 1907/2006 Annex XVII Annex XVII (EC) No. 689/2008 : Regulation (EC) No 689/2008 WHMIS Controlled : Canada Workplace Hazardous Information System product : Guidance Note on the Interpretation of Exposure Standards for **OELs-TWA** (Australia) Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] Abbreviations : OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hvaienists REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals SVHC Substances of Very High Concern ECHA The European Chemicals Agency DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft Restriction of the use of certain Hazardous Substances in Electrical and Electronic RoHS Equipment TWA Time Weighted Average IARC International Agency for Research on Cancer NTP National Toxicology Program WHMIS Workplace Hazardous Information System NOHSC National Occupational Health and Safety Commission Act 1985 Disclaimer : This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.

Product Name : PowerBright Pre-treatment Liquid(64 oz / 1.9L) SDS Number : 342097 Date Prepared : 24/05/2017 Date Modified : 01/08/2018 Date : 28/05/2019

## RICOH

### Safety Data Sheet (ISO form)

### 1. Product and Company Identification

Product Name General Use SDS Number	:PowerBright Pre-treatment Liquid(64 oz / 1.9L) :Fixing agent of ink for inkjet printer :342097
Company Name	: Ricoh Company,Ltd.
Department	Product Safety Engineering Department, Safety and Environmental
	Engineering Center, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

### 2.Composition/Information on Ingredients

#### Substance or Preparation

#### Preparation Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Calcium chloride	CaCl2	10043-52-4	<10
Urethane polymer	Confidential	Confidential	<5
Water	H2O	7732-18-5	85-95

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

### 3. Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use. Environmental Effects

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use. Specific Hazards

There are no significant hazards expected with intended use.

Product Name : PowerBright Pre-treatment Liquid(64 oz / 1.9L) SDS Number : 342097 Date Prepared : 24/05/2017 Date Modified : 01/08 2018 OutputDate : 28/05/2019

## **RICOH**

Main Symptoms
Acute Inhalation Toxicity
Under normal use conditions, there is no possibility to inhale the particle of ink.
Acute Oral Toxicity
Low acute toxicity in animal experiment.
Acute Eye Irritation
May be non-irritant.
Acute Skin Irritation
May be non-irritant.
Sensitization
From test no apparent significant hazards are expected.
Chronic Effect
Under normal use conditions, there is no possibility to inhale the particle of ink.
Carcinogenicity
This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.
The Classification of The Chemical Product
This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.
4.First-Aid Measures
Inhalation
Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.
Skin Contact
Wash thoroughly with soapy water.
Eye Contact
Flush with a large amount of water until particles are removed. Seek medical advice.
Ingestion
If swallowed, rinse mouth, do not induce vomiting. / If necessary, seek medical advice.
Notes to a physician
Not applicable
5.Fire-Fighting Measures
Extinguishing Media
CO2, dry chemicals, foam or water.
Extinguishing Media to Avoid
Not applicable
Specific Hazards
Not applicable
Specific Method
No special fire protecting method is required. Sprinkling or fire extinguishers can be used.
Protection of Fire-fighters

6.Accidental Release Measures

Wear glives, glasses, a mask if necessary.

Personal Precautions Take off contaminated clothing and launder or dry-clean before wear again. Environment Precautions Do not flush into sewers or watercourses. Methods for Cleaning Up When spilt, wipe off with paper or cloth. Product Name : PowerBright Pre-treatment Liquid(64 oz / 1.9L) SDS Number : 342097 Date Prepared : 24/05/2017 Date Modified : 01/08/2018 Output Date : 28/05/2019



7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. Packaging Material Not applicable Specific Use(s) Fixing agent of ink for inkjet printe

### 8. Exposure Controls/Personal Protection

**Technical Measures** Use adequate ventilation. None required with intended use. **Control Parameters** USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection **Respiratory Protections** None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

### 9. Physical and Chemical Properties

: Liquid	
: Liquid	
: Colorless	
: No odour	
Measuring Temp (degrees centigrade) : 25	
ratures/Temperature Ranges at Which Changes in Physic	cal State Occur
degrees : Not available	
•	
Point (degrees : Not available	
Temperature (degrees : Not available	
	: Liquid : Colorless : No odour Measuring Temp (degrees centigrade) : 25 atures/Temperature Ranges at Which Changes in Physic egrees : Not available pint (degrees : Not available

Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)

Not applicableThis product is considered a nonexplosive material under normal use.



Vapor Pressure (Pa)	Not available	
Vapor Density(AIR=1) : Density (g/cm3)	Not available Not available	Measuring Temp (degrees centigrade) :
: Solubility		

Solubility Water Solubility (g/L) : Soluble Octanol/Water Partition Coefficient Not available Other Information Flammability : Not flammable Viscosity (Pa·s) : Not available

: 85-95

Volatile (%)

10.Stability and Reactivity Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

### 11.Toxicological Information

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat) (OECD TG 423)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (OECD TG 404)
Acute Eye Irritation :
Non-irritant (Rabbit) (OECD TG 405)
Sensitization
Acute Allergenic Effects :
0 % (Mouse) (OECD TG 429)
Specific Effects
Carcinogenicity :
This product does not contain the carcinogenic substances which are listed on NTP, IARC and
OSHA.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Informat			
Mobility	: No dat	ta are available on the adverse effect one environment.	
Persistence/Degradabilit	: Not available		
у			
Bioaccumulation	: Not av	ailable	
Ecotoxicity			
Acute Toxicity for Fish (	LC50)	: Not available	
Acute Toxicity for Daphi	nia	: Not available	
(EC50)			
Algae Inhibition Test		: Not available	
(IČ50)			

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions:

Not applicable

### 14. Transport Information

· · · · · · · · · · · · · · · · · · ·		
International Regulation	S	
Land Transport		
RID/ADR	: Not applicable	
DOT 49 CFR	: Not applicable	
ADNR	: Not applicable	
Sea Transport		
IMDG Code	: Not applicable	
Air Transport		
ICAO-TI/IATA-DGR	: Not applicable	
The UN Classification	: Not applicable	
Number		
Class	: Not applicable	
Specific Precautionary Transport Measures and conditions		
Avoid direct sunlight	in quality.	

### 15.Regulatory Information

This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

# **RICOH**

Health ; 1, HMIS Rating Health ; 1, Literature Refer ANSI Z400.1 ISO 11014-1 IARC (1996) "IA	rd Rating: National Fire Protection Agency (USA) Flammability ; 1, Reactivity ; 0 g : The National Paint and Coating Association (USA) Flammability ; 1, Reactivity ; 0 ences : I-1993		
S. Takenaka ar Fundamental ar	ellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, ad R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" and Applied Toxicology 17, pp 280-299		
Vol.93"	IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,		
NIOSH CURR	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Exposure to Titanium Dioxide DRAFT"		
ACGIH-TLV	. Threshold Limit Values for Chemical Substances and Physical Agents and		
	Biological Exposure Indices		
OSHA Z-Tab			
NTP (USA)	: US Department of Health and Human Services National Toxicology		
DFG-MAK	Program Annual Report on Carcinogens DFG List of MAK and BAT Value		
Symbol (EC)	: Regulation (EC) No 1272/2008		
91/155/ EEC	: EU Directive 91/155/ EEC		
(EC) No 1907			
Annex XVII			
(EC) No. 689/2	2008 Regulation (EC) No 689/2008		
WHMIS Contr			
product			
OELs-TWA (A	Australia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]		
Abbreviations :			
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act		
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial		
	Hygienists		
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,		
SVHC	Authorization and Restriction of Chemicals		
ECHA	Substances of Very High Concern		
DFG-MAK	The European Chemicals Agency MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft		
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic		
Nono	Equipment		
TWA	Time Weighted Average		
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
WHMIS	Workplace Hazardous Information System		
NOHSC			
Disclaimer :			
This information is furnished without warranty, express or implied, except that it is accurate to the best			
knowledge of	RICOH COMPANY, LTD.		
It relates only to the specific material designated herein, and does not relate to use in combination with			
	erial or process.		
RICOH COMF	PANY, LTD assumes no legal responsibility for use or reliance upon this information.		

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.