



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24	
e-mail address	4612 RC Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	MFP	
Commercial name *	IM 600SRF	
Model number *	IM 600SRF	
Issue date *	14 June 2019	
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue dat	e * 14 June 2019		
Product environmental attributes - Legal requirements		Requirement m	net
Item	on monitorial attributors and monitorial		n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)		
P1.2*	Products do not contain Asbestos (see legal reference).	$\square$	
	Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	he 🔀 🗌	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔲 🗌	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$	$\overline{}$
	·		<u> </u>
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)	al 🔲 🔲	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\square$	
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): <b>emo@ricoh-europe.con</b>		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).		
	Required information is; given in item P15 or added to this document,		
	available at (add URL):		
P4	Consumable materials		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see legal reference and NOTE B1).		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	$\square$	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there		$\overline{\boxtimes}$
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium a hexavalent chromium by weight of these together.	ind 🛛 🗌	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material used (see legal reference).		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	eal 🔲 🗌	
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \* IM 600SRF

Model number *	IM 600SRF	
Issue date *	14 June 2019	

	t environmental attributes - Market requirements (See General NOTE GN below)	Damila		44
-		Require		
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Design	Yes	No	n.a.
F /	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\square$		
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	$\overline{}$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9.	Spare parts are available after end of production for: 7 years			$\overline{\Box}$
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS, PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low			
	halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\square$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		X	
	assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)):  , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 4.58%.  or  b) The weight of recycled material is 638 g.		J	J

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	IM 600SR	F						
Issue date	sue date * 14 June 2019								
Product environmental attributes - Market requirements (continued)					Require	ement	met		
Item							Yes	No	n.a.
P7.21* Biobased plastic material content is used in the product (See NOTE B7):									
P7.21*	Biobased	l plastic ma	iterial content is used i	n the product (See I	NOTE B7):			$\boxtimes$	Ш
			of the two alternatives				,		
			parts' weight > 25 g, weight) is %.	the biobased plastic	material content (calcula	ited as a percentag	e of		
	or	i piastic by	weight) is 70.						
	b) The	weight of t	he biobased plastic ma	aterial is g.					
P7.22*			ee from mercury, i.e. le						
	If mercur	y is used s <sub>l</sub>	pecify: Number of lamp	os: and maxir	num mercury content per	· lamp: mg			
P8	Batteries								
P8.1*			mposition: Manganes	e dioxide lithium ba	attery				Ш
P9			on (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consumpt	ions are reported:				
Energy mo	de *		Power level at	Power level at	Power level at	Reference/Standa		energy	
			100 V AC	115 V AC	230 V AC	modes and test m	ethod *		
Sleep mod STAR® Or			W	W	W				$\boxtimes$
(OM) produ		viode							
Standby/of			W	W	W				$\boxtimes$
ENERGY S		rational							
Mode (OM TEC value		CV CTAD	Is\A/b/wools	Is\Albahaals	0.04141/16/140014				
TEC value		GYSTAR	kWh/week	kWh/week	0.84 kWh/week				Ш
·									
(TEC= Typ		У	W	W	749 W				
									<u> Ц</u>
Ready mo	ode		W	W	<b>93.8</b> W				Ш
Sleep mod	de		W	W	<i>0.65</i> W				
			W	W	W				
			W	W	W				$\overline{\sqcap}$
			W	W	W				$\overline{}$
External D	ower Cupp	ly Efficience	:y Level (International I						
			<u> </u>	Efficiency Marking P	rotocoi) .				
Print/Scan	Print/Scan Speed * : 55 images per minute								
Default tim	e to enter	energy sav	re mode: 1 minutes						
P9.2*					$\overline{\Box}$				
P10	Emissio	ns							
-			Declared according to	ISO 9296 (See NOT	E B9)				
P10.1	Mode	M	ode description		Statistical upper limit A-we	eighted sound powe	er level,		
					<sub>-WA,c</sub> (B)				
	Idle * stand-by * 3.3								
			* Operating Mode * 7.2						H
	Other mo		operating mode		7.2				
	Measured according to:   ISO 7779 ☐ ECMA-74								
	ModSuic	a according		only if not covered I	ov ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	IM 600SRF				
Issue date	e date * 14 June 2019					
Product 6	environ	nmental attributes - Market requirements (continued)	Re	equire	ment	met
Item				Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic					
		nent (ISO/IEC 28360), other specify: RAL-UZ205				
P10.3	Typical	emission rate (operation phase) is (mg/h):				Ш
	Electro	photographic devices: Ozone <0.3 Dust <0.32 Styrene 0.28 Benzel	ne <b>&lt;0.013</b> TVOC <b>7.82</b>			
	Ink dev	rices: Dust Styrene Be	enzene TVOC			
	Note: c	compliance with maximum emission rates in eco labels to be declared in F	P14.			
P11		mable materials for printing products				
P11.1*	A Safet	ty Data Sheet (SDS) is available for the ink/toner preparation, even if not	legally required (see P4.3).	$\boxtimes$		
P11.2*	Paper of EN 122	containing post-consumer recycled fibers can be used, provided that 281.	it meets the requirements of			
P11.3*	2-sided	d (duplex) printing/copying is an integrated product function.		$\boxtimes$		
P11.4*	The pro	oduct is delivered to end-user with default auto-duplex enabled.		$\boxtimes$		
P13		ging and documentation				
P13.1*		et packaging material type(s): corrugated paper weight (kg): 5.266				
		t packaging material type(s): <b>plastic (LDPE)</b> weight (kg): <b>0.273</b> tr packaging material type(s): weight (kg):				
P13.2*		t plastic primary packaging is free from PVC.			$\overline{}$	
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-					
1 10.0	consumer recovered fiber content:  %					
P13.4*	Specify	media for user and product documentation (tick box):				
_	Electro	nic 🔲, Paper 🔲, Other 🗌				
P13.5		e only complete this item if paper documentation used)				
		nd product documentation on paper media is chlorine-free: please specify:		$\boxtimes$	Ш	
		chlorine-free		$\square$		
	,	ntal chlorine-free				
	Process	sed chlorine-free		Ħ		
P14	Volunta	ary programs:				
P14.1		oduct meets the requirements of the following voluntary program(s):				
	ENERG	GY STAR® Criteria version: 3.0 Date:	Product category:			
		pel: BAM Criteria version: RAL-UZ205 Date:	Product category: MFP			
P15	Eco-lab		Product category:			
Pib		onal information (See NOTE B11)				
		I pressure level at the operator position [L <sub>PA</sub> :dB(A)] -by 30.2(dB)				
		ting mode 69.1(dB)				
		· · · · · · · · · · · · · · · · · · ·				

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1