

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo	
Company name *	Ricoh Company Ltd		
Contact information * e-mail address	Ricoh Europe (Netherlands) , Prof. W.H.Keesomlaan 1, PO Box 114 1180AC Amstelveen, The Netherlands reu.compliance@ricoh-europe.com		RICOH
Internet site *	www.ricoh.com		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Wide Format				
Commercial name *	RICOH Pro TF6251				
Model number *	RICOH Pro TF6251				
Issue date *					
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template: P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5			
Model number *	RICOH Pro TF6251	Logo	
Issue date *	22/01/2021		RICOH

Produc	ct environmental attributes - Legal requirements	Require	emen	t met	
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \ \mu g/cm^2/week$ (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): reu.compliance@ricoh-europe.com	\boxtimes			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			\square	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		Ħ		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)				
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): reu.compliance@ricoh- europe.com				
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).			\boxtimes	
	Required information is; given in item P15 or added to this document, available at (add URL):				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			\boxtimes	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	\boxtimes			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\square			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			\boxtimes	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	RICOH Pro TF6251	Logo	DIGOU
Issue date *	22/01/2022		RICOH

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Requ	irem	ent	met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes			
P7	Design	100	110		
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable		X	1	
P7.2*	Plastic materials in covers/housing have no surface coating.			1	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	Ē		i	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			i	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			1	Ħ
	Product lifetime			-	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square		1	
P7.8*	Upgrading can be done using commonly available tools			1	
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				Π
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.]	\square
P7.13	Insulation materials of internal electrical cables are PVC free.]	\square
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)]	\boxtimes
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:]	\boxtimes
-	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):]	_
P7.16 P7.17	Marking:]	
-	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g]]]	_
97.17	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:]]]	
97.17	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in]]]	
-	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: "]]]]	

Model number *	RICOH Pro TF6251	Logo	
Issue date *	22/01/2021		RICOH

Product environmental attributes - Market requirements (continued) Item

Requirement met Yes

No n.a.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced NOTE B5 source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	Material and substa	ance requirements (o	continued)					
P7.20*	Postconsumer recyc	led plastic material co	ontent is used in the p	roduct (See NOTE B6)	:			\boxtimes
	 a) Of total plastic percentage of t or 	otal plastic by weight)	he postconsumer recy	ered; cled plastic material co	ontent (calculated as a			
P7.21*		ecycled material is terial content is used i	g.			_		
P7.21*	If YES; at least one	of the two alternatives parts' weight > 25 g, t	below shall be answe	ered;	ated as a percentage of			
	or b) The weight of the	he highered plactic m	otorial in a					
P7.22*		he biobased plastic mage from mercury, i.e. le				\square		
		pecify: Number of lam		um mercury content pe	er lamp: mg			
P7.23*	If product includes a	n integral display, the	total mercury content	in the integrated displa	ay: mg			\boxtimes
P8	Batteries							
P8.1*	Battery chemical cor	•						
P9 P9.1	Energy consumption	following power levels		ons are reported:				
-		Power level at	Power level at	Power level at	Reference/Standard for		~ * ~ · ·	
Energy mo	bde	100 V AC	115 V AC	230 V AC	modes and test method		ergy	\square
	de for ENERGY perational Mode lucts	W	W	W				\square
ENERŚY	ff mode for STAR Operational 1) products	W	W	W				
TEC value TEC produ	e for ENERGY STAR ucts (TEC= Typical onsumption)	kWh/week	kWh/week	kWh/week				
For all fun	ction work	W	W	4635 W				
vacuum ui for returnir capping.	zing y UV lump and nit. This case is just ng to origin and AC/DC motors need majority of this	W	W	1800 W				
Standby		W	W	60 W				
For only keep	eeping negative							
down by b	prevent from ink drop proken negative No operation is							
Max pow	er consumption	W	W	4635 W				
		W	W	W				
		W	W	W				$\overline{\Box}$
External P	Power Supply Efficienc	y Level (International	Efficiency Marking Pro	otocol) * :				
Print/Scan		images per min						
	ne to enter energy sav							
P9.2*		e energy save function		product.				
				F 2000				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	RICOH Pro TF6251	Logo	DICOLI
Issue date *	22/01/2021		RICOH

Produc	t environmental	attributes - Market re	equirements	(continued)			Require	met	
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	 Declared according to 	ISO 9296 (Se	e NOTE B9)					
P10.1	Mode	Mode description		Statistical u <i>L_{WA,c}</i> (B)	pper limit A-weig	hted sound powe	r level,		
	Idle	*		*					\boxtimes
	Operation	* Print		* 75					
	Other mode								\boxtimes
	Measured accor	rding to: 🔀 ISO 7779 🗌	ECMA-74	(only if not co	vered by ECMA-	74)			
	Chemical emis	sions from printing pro	ducts (See NO		,	,			
P10.2*		according to ECMA-328			sion Rates from	Electronic		\square	
		/IEC 28360) 📃, other sp							
P10.3	Typical emission	n rate (operation phase) i	s (mg/h):						\boxtimes
	Electrophotogra Ink devices:	phic devices: Ozone	Dust Dust	Styrene Styrene	Benzene Benzene	TVOC TVOC			\boxtimes
	NOTE: compliar	nce with maximum emiss	ion rates in eco	labels to be decl	ared in P14.				
P11		aterials for printing pro							
P11.1*		heet (SDS) is available f							
P11.2*	EN 12281.	g post-consumer recycle		-	at it meets the re	equirements of			\boxtimes
P11.3*	2-sided (duplex)) printing/copying is an in	tegrated produc	ct function.					\boxtimes
P11.4*	The product is c	elivered to end-user with	default auto-du	uplex enabled.					\square
P13		documentation							
P13.1*	Product packag Product packag	ing material type(s): Woo ing material type(s): ing material type(s):	weig weig	ht (kg): 907 ht (kg): ht (kg):					
P13.2*		primary packaging is free					\square		
P13.3*	consumer recov	nary corrugated fiberboar rered fiber content:	%		ed percentage of	f minimum post-			\boxtimes
P13.4*		or user and product docu Paper 🔀, Other 🗌	mentation (tick	box):					
P13.5		mplete this item if paper of ct documentation on pape pecify:						\boxtimes	
	Totally chlorine-	free							
	Elemental chlori						H		
	Processed chlor	rine-free					H		
P14	Voluntary prog	rams:							
P14.1		ets the requirements of the	ne following vol	untary program(s):				
	ENERGY STAR			Date:	Produc	t category:			
	Eco-label:	Criteria ve		Date:		t category:			
	Eco-label:	Criteria ve	ISION:	Date:	Produc	t category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 A Guidance document on Chemical Emissions is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm.}$

Model number *	RICOH Pro TF6251	Logo	
Issue date *	22/01/2021		RICOH

Product environmental attributes - Market requirements (concluded) Requirement			
P15	Additional information (See NOTE B11)		

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Legal references Europe Annex Br	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	