



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd.	
Contact information *	RICOH Europe SCM B.V., Blankenweg 24 4612 RC	
e-mail address	Bergen op Zoom, Netherlands	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Printer		
Commercial name *	P 801		
Model number *	P 801		
Issue date *	30 July 2019		
Intended market *	☐ Global ☑ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	P 801	Logo	DICOLL
Issue date *	30 July 2019		RICOH

Product	duct environmental attributes - Legal requirements				
Item	-	Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference).	\square			
	Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\boxtimes	$\overline{}$		
	terphenyl (PCT) in preparations (see legal reference).		ш		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the				
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 $\mu g/cm^2/week$	\boxtimes			
	(see legal reference).				
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	<u> </u>	$\overline{}$		
Г 1.7	emo@ricoh-europe.com	\bowtie	Ш	Ш	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal				
. 2	symbol. Information on proper disposal is provided in user manual. (See legal reference)		ш	Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes			
	reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	\boxtimes			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes			
	(see legal reference).		ш	ш	
	Required information is; given in item P15 or added to this document,		\boxtimes		
	available at (add URL): emo@ricoh-europe.com				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	\boxtimes			
D.4.0*	legal reference and NOTE B1).	<u> </u>			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).	<u> </u>	Ц.		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\bowtie			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available				
	(see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	1 🖂			
	hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	<i>'</i> 🖂			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	ı 🖂			
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
. 0.1	miorination for rooyolota/troatmont facilities is available (see legal reference).	\triangle			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	P 801	Logo	DICOLL
Issue date *	30 July 2019		RICOH

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	Environmental conscious design	Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
D7 1*	Disassembly, recycling Parts that have to be treated congretaly are easily congretaly		_	
P7.1*	Parts that have to be treated separately are easily separable		부	_
P7.2*	Plastic materials in covers/housing have no surface coating.		Щ.	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes	<u>Ш</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D= 40	Material type: PC + ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u>_</u>		
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1 -		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)	ı 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes	\Box	
	Marking: FR		ш	ш
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: BFR's are used, which are not restricted of their inclusion by regulations		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		\boxtimes	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "		\boxtimes	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR (40)	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):			
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is > 6.4%. or b) The weight of recycled material is g. 	ι		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nun	nber	30 July 2019 RICOH							
Issue date	*	30	July 2019				RIC	OI	
Product 6	Product environmental attributes - Market requirements (continued) Requirement me					met			
Item					,		Yes		n.a.
	Material a	and subst	ance requirements (d	continued)					
P7.21*	* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered;								
			parts' weight > 25 g, weight) is <i>0.001</i> %.	the biobased plastic	material content (calculat	ed as a perce	entage of		
	or b) The	weight of t	the biobased plastic m	aterial is g.					
P7.22*			ee from mercury, i.e. le pecify: Number of lam		p. mum mercury content per	lamp: r	ng		
P8	Batteries					-	-		
P8.1*	Battery ch	nemical co	mposition: Manganes	e dioxide lithium					
P9	Energy c	onsumpti	ion (See NOTE B8)						
P9.1	For the p	roduct the	following power levels	or energy consump	tions are reported:				
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC		Reference/Sta		energy	
Sleep mod	le for ENE	RGY	W	W	W				\boxtimes
STAR® Op (OM) produ	perational I								
Standby/of			W	W	W			-	\boxtimes
ENERGY S Mode (OM		rational							
TEC value TEC produ		GY STAR	kWh/week	kWh/week	3.0 kWh/week				
(TEC= Typ		у							
Operating	mode		W	W	749 W				
Ready mo			W	W	68 W				
Sleep mod	de		W	W	0.48 W				
			W	W	W				
			W	W	W				
			W	W	W				
	• • • • • • • • • • • • • • • • • • • •		cy Level (International	Efficiency Marking F	Protocol) * :				
Print/Scan	Speed *	:	6 images per minute						
Default tim	e to enter	energy sav	ve mode: 1 minutes						
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P10	Emission			100 0000 (0 1107					
D10.1	Mode en		Declared according to lode description						
P10.1	Mode	IVI	iode description		Statistical upper limit A-wei _{-WA,c} (B)	gnied sound p	oower ievei,		
	Idle		Stand-by		3.2				
	Operation		Operating Mode	*	7.3				
	Other mo		See section P15						
	Measured according to: SO 7779 ECMA-74								
	1		Other	(only if not covered	by ECMA-/4)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *	P 801 30 July 2019	Logo	RICOH

Product	roduct environmental attributes - Market requirements (continued)				
Item	•	Yes	No	n.a.	
	Chemical emissions from printing products (See NOTE B10)				
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360) , other specify: <i>RAL-UZ205</i>	\boxtimes			
P10.3	Typical emission rate (operation phase) is (mg/h):				
	Electrophotographic devices: Ozone 0.3 Dust 0.22 Styrene 0.014 Benzene < 0.005 TVOC limit of detection				
	Ink devices: Dust Styrene Benzene TVOC				
	Note: compliance with maximum emission rates in eco labels to be declared in P14.				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\square			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.	f 🗵			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes			
P11.4*	The product is delivered to end-user with default auto-duplex enabled.	$\overline{\boxtimes}$			
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): corrugated paper weight (kg): 3.026 Product packaging material type(s): plastic weight (kg): 0.502 Product packaging material type(s): weight (kg):				
P13.2*	Product plastic primary packaging is free from PVC.	\boxtimes			
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:	,			
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other				
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:	\boxtimes			
	Totally chlorine-free	\square			
	Elemental chlorine-free				
	Processed chlorine-free	H			
P14	Voluntary programs:				
P14.1	The product meets the requirements of the following voluntary program(s):				
	ENERGY STAR® Criteria version: Date: Product category: Eco-label: BAM Criteria version: RAL-UZ205 Date: Product category: printer Eco-label: Criteria version: Date: Product category: printer				
P15	Additional information (See NOTE B11)				
	This product is designed to utilise recycled plastic materials wherever available.				
	Declared A-weighted sound pressure level $L_p Am$ (dB) in operation position Stand-by: 21.4 (dB) Operating Mode: 64.3 dB),				
1					

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1