



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information *	Ricoh Europe Plc, 20 Triton Street, London, NW1 3BF,	
e-mail address	United Kingdom	
	reu.compliance@ricoh-europe.com	
Internet site *	www.ricoh-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Colour Production Printer				
Commercial name *	Pro C5300s				
Model number *	Pro C5300s				
Issue date *	11 th May 2020				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *	Pro C5300s	Logo	
Issue date *	11 th May 2020		

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	Х		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e X		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	X		
	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	reu.compliance@ricoh-europe.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	X		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	l X		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)	Χ		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional	X	一一	Ħ
1 2.0	user", the related text is present and legible on the external packaging (see legal reference)	^	ш	Ш
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	Х		
	The Declaration of Conformity can be requested at (add link or e-mail address): reu.compliance@ricoh-		ш	ш
	europe.com			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	Χ		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		X	
	available at (add URL):	_		_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater	X		
1 7.1	than 0,01% (see legal reference and NOTE B1).	^	ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	X		
	legal reference)	^		ш
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			Χ
	are Community workplace exposure limits, the product/packaging is adequately labeled according to		ш	
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) X		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	Х		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Pro C5300s	Logo	
Issue date *	11 th May 2020		

Product environmental attributes - Market requirements (See General Note GN below)					
-	Environmental conscious design	Requ	ireme	nt met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	X			
P7.2*	Plastic materials in covers/housing have no surface coating.	X			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	Χ			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X			
P7.8*	Upgrading can be done using commonly available tools	X			
P7.9.	Spare parts are available after end of production for: 7 years				
P7.10	Service is available after end of production for: 7 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		X		
P7.13	Insulation materials of internal electrical cables are PVC free.	一百	X		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.		Х		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	X			
D7 47	Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		X		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		X		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "		X		
			V		
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	_	X		
F1.18	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)		^		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	Pro C5300s	Logo	
Issue date *	11 th May 2020		

Product environmental attributes - Market requirements (continued)					Require	ment	met	
Item						Yes	No	n.a.
	Material and substa	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ntent is used in the pr	oduct (See NOTE B6):		X		
	,		below shall be answe	,				
		parts' weight > 25 g, tl otal plastic by weight)		cled plastic material co	ntent (calculated as a			
	or	. , , ,						
P7.21*		ecycled material is 4,6		TE D7).		X	_	
P7.21"						Χ	Ш	Ш
If YES; at least one of the two alternatives below shall be answered;								
 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage total plastic by weight) is 0.007 %. 					ited as a percentage of			
or								
D7 00*		he biobased plastic m						
P7.22*		ee from mercury, i.e. le pecify: Number of lam		ım mercury content per	lamp: mg	X	Ш	Ш
P7.23* If product includes an integral display, the total mercury content in the integrated display: mg				y: mg			X	
P8								
P8.1*								X
P9								
P9.1 For the product the following power levels or energy consumptions are reported:								
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	e for ENERGY	W	W	W				X
STAR® Op (OM) produ	perational Mode							
Standby/of	f mode for	W	W	W				Χ
	STAR Operational							
Mode (OM	for ENERGY STAR	kWh/week	kWh/week	kWh/week	Based on ENERGY S	TAR Ver	3.0	Х
	cts (TEC= Typical	KVVII/WCCK	RVVII/WCCR	KVVII/WCCK	Test Method. TEC val			^
Energy Co	nsumption)				the program requirement	ents.		
Operating	Mode	W	W	(Mono) 1262.1 W (Colour) 1391.2 W				
Ready Mo	de	W	W	221 W				
Low Power Mode W 138 W								
Sleep Mod	le e	W	W	0.72 W				
		W	W	W				
		W	W	W				
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Pro	tocol) * :				X
Print/Scan	Speed * :	65 images per minute						
Default tim	e to enter energy sav	e mode: 45 minutes						
P9.2* Information about the energy save function is provided with the product.					X			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Pro C5300s	Logo	
Issue date *	11 th May 2020		

Emissions	Product	oduct environmental attributes - Market requirements (continued)				Require	ment	met
Noise emission - Declared according to ISO 9296 (See NOTE 89)	Item						No	n.a.
Mode	P10	Emissions						
Idle * Stand-By * 3.7		Noise emission						
Idle	P10.1	Mode	Mode description		nit A-weighted sound power I	evel,		
Operation Other mode Measured according to: X ISO 7779				L _{WA,c} (B)				
Operation Other mode Measured according to: X ISO 7779								_
Other mode Measured according to: X ISO 7779								
Measured according to: X ISO 7779 ECMA-74 Other (only if not covered by ECMA-74) Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic X Equipment (ISO/IEC 28360) , other specify: RAL-UZ205 P10.3* Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11			* Operating	* 7.2				
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 betermination of Chemical Emission Rates from Electronic X Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. X P11.4* The product is delivered to end-user with default auto-duplex enabled. X P13.4* Product packaging material type(s): Pisstics weight (kg): 1.922 P13.1* Product packaging material type(s): Pisstics weight (kg): 1.922 P13.2* Product packaging material type(s): Wood weight (kg): 1.922 P13.3* For product primary product documentation (tick box): Electronic X, PaperX, Other P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.4* Specify media for user and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free P10.1* Products packed product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free P10.2* Processed chlorine-free		Other mode						
Chemical emissions from printing products (See NOTE B10) P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify; RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rate in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X		Measured accord	ding to: X ISO 7779 ECMA-74					
P10.2* Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: RAL-U2205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X			Other	(only if not covered b	oy ECMA-74)			
Equipment (ISO/IEC 28360), other specify: RAL-UZ205 P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X								
P10.3 Typical emission rate (operation phase) is (mg/h): Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products A Safety Data Sheet (SDS) is available for the ink/loner preparation, even if not legally required (see P4.3). X P11.1.* A Safety Data Sheet (SDS) is available for the ink/loner preparation, even if not legally required (see P4.3). X P11.2.* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3.* 2-sided (duplex) printing/copying is an integrated product function. P13.4 Packaging and documentation P13.1 Product packaging material type(s): Corrugated Paper weight (kg): 9.31 Product packaging material type(s): Plastics weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 19 P13.3 Product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4 Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: X	P10.2*	Test performed a	according to ECMA-328 Determination of	Chemical Emission Ra	ates from Electronic	X		
Electrophotographic devices: Ozone 1.5 Col & 0.26 Mono Dust 0.24 Col & 0.2 Mono Styrene 0.067 Col & 0.039 Mono Benzene 0.0016 Col & 0.0011 Mono TVOC 3.5 Col & 1.2 Mono Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/foner preparation, even if not legally required (see P4.3). X P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of X P11.3* 2-sided (duplex) printing/copying is an integrated product function. X P11.4* The product is delivered to end-user with default auto-duplex enabled. X P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.31 Product packaging material type(s): Plastics Weight (kg): 1.922 Product packaging material type(s): Wood Weight (kg): 1.922 Product packaging material type(s): Wood Weight (kg): 19 P13.2* Pro product primary packaging is free from PVC. X P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product primary packaging is free from PVC. X P13.5* Product packagi		11 1						
Consumable materials for printing products Dust Styrene Benzene TVOC	P10.3	Typical emission rate (operation phase) is (mg/h):						
Consumable materials for printing products Dust Styrene Benzene TVOC								
Ink devices: Dust Styrene Benzene TVOC NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. X P11.4* The product is delivered to end-user with default auto-duplex enabled. X P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.31 Product packaging material type(s): Plastics Weight (kg): 1.922 Product packaging material type(s): Wood Weight (kg): 1.932 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Elemental chlorine-free Processed chlorine-free		Electrophotograp	phic devices: Ozone 1.5 Col & 0.26 Mon	Dust 0.24 Col & 0.2	Mono Styrene 0.067 Col &	t		X
NOTE: compliance with maximum emission rates in eco labels to be declared in P14. P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.31 Product packaging material type(s): Plastics weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free								
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. X P11.4* The product is delivered to end-user with default auto-duplex enabled. X P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.31 Product packaging material type(s): Plastics Weight (kg): 1.922 Product packaging material type(s): Wood Weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. X P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free		This devices. Dust Styrene Benzene 1 voc						
P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). X P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. X P11.4* The product is delivered to end-user with default auto-duplex enabled. X P13.1* Product packaging material type(s): Corrugated Paper Weight (kg): 9.31 Product packaging material type(s): Plastics Weight (kg): 1.922 Product packaging material type(s): Wood Weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. X P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free		NOTE: compliand	ce with maximum emission rates in eco l	abels to be declared in	P14.			
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. X	P11							
EN 12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. X	P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.3* 2-sided (duplex) printing/copying is an integrated product function. P11.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.31 Product packaging material type(s): Plastics weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free	P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of						
P13.4* The product is delivered to end-user with default auto-duplex enabled. P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.31 Product packaging material type(s): Plastics weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free		EN 12281.						
P13.1* Packaging and documentation P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.31 Product packaging material type(s): Plastics weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. X P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free	_	2-sided (duplex) printing/copying is an integrated product function.						
P13.1* Product packaging material type(s): Corrugated Paper weight (kg): 9.31 Product packaging material type(s): Plastics weight (kg): 1.922 Product packaging material type(s): Wood weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. X P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free		The product is de	elivered to end-user with default auto-dup	olex enabled.		X		
Product packaging material type(s): Plastics Product packaging material type(s): Wood P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free								
Product packaging material type(s): Wood weight (kg): 19 P13.2* Product plastic primary packaging is free from PVC. X	P13.1*							
P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other				(0)				
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content:	P13 2*			(kg). 19		X	$\overline{}$	\Box
consumer recovered fiber content: % P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free			71 0 0	ocify the contained per	contage of minimum post			<u> </u>
P13.4* Specify media for user and product documentation (tick box): Electronic X, PaperX, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free	F 13.3			city the contained per	centage of minimum post-			^
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free	P13.4*			ox):				
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free		Electronic X, Par	perX, Other	,				_
If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free	P13.5	(Please only com	plete this item if paper documentation u	sed)				
Totally chlorine-free X Elemental chlorine-free Processed chlorine-free		User and produc	t documentation on paper media is chlor	ne-free:		X		
Elemental chlorine-free Processed chlorine-free		If Yes, please sp	ecify:					
Elemental chlorine-free Processed chlorine-free		Totally chlorine-fi	ree			Χ		
<u> </u>								
P14 Voluntary programs:		Processed chlori	ne-free			Ħ		
	P14	Voluntary progr	rams:					
P14.1 The product meets the requirements of the following voluntary program(s):	P14.1	The product mee	ets the requirements of the following volu	ntary program(s):				
ENERGY OTARG		ENEDOV OT: 50	0 11 1 1 6 70 1	D .	D			
ENERGY STAR® Criteria version: See P9.1 Date: Product category: Eco-label: Criteria version: Date: Product category:					0 ,			
Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:					0 ,			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	Pro C5300s	Logo	
Issue date *	11 th May 2020		

Product environmental attributes - Market requirements (concluded)		Requirement met
P15	Additional information (See NOTE B11)	
	Sound pressure level at the operator position [Lpa@dB(A)] Stand-by 20.8(db) Operating Mode 53 Mono 53.9 Colour(db) Full System 59.6	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1, P3.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
	P5.1
Directive 2004/12/EC (Packaging Directive)	1 3.1

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	