

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier

Product NameDrum Unit P 501 ( OPC )SDS number418094

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use Print the image in printers and multi-purpose devices.

1.3 Information on the supplier of the safety data sheet

Importer

Ricoh Europe SCM B.V.

Blankenweg 24, 4612 RC Bergen op Zoom, The Netherlands

TEL: +31 164 280808 / FAX: +31 164 280820

https://www.ricoh-europe.com, RESCM.ISI-global@ricoh-europe.com

Manufacture

Ricoh Co., Ltd.

Chome-3-6 Nakamagome, Ōta, Tokyo 143-8555, Japan

# 1.4 Urgent call phone number

Austria	+43 1 31 00472	Belgium	+32 (0)70 245 245
Czech Republic	+420 (0)267 125 32	Denmark	112
Finland	+358 (0)9 471 977	France	+33 (0)145 42 59 59
Germany	+49 511 67420	Hungary	+36 80 20 11 99
Ireland	111	Italy	+39 0266101029
Luxembourg	+352 8002 5500	Netherlands	+31 302748888
Poland	+48 (42) 253 84 00	Portugal	112
Slovakia	+421 2 4854 4511	Spain	+34 91 562 04 20
Sweden	+46 10 456 67 00	United Kingdom	111 (UK only)
Norway	113	Switzerland	+41 044 832 3411

# 2. IDENTIFICATION OF DANGERS

# 2.1 Classification of the substance or mixture

According to the following data, no classification and labeling are necessary according to Regulation (EC)

no. 1272/2008.

2.2 Elements of the label

Not applicable

# 2.3 Other hazards

No hazards are foreseen under normal conditions of use.



# 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1 Mixtures

Name chemistry	% by weight	CAS NO	EC number	Classification (67/548)	Indications of danger	Registration number REACH
Al Substrate	>97	7429-90-5	231-072-3	None	None	Not covered
Charge Transport Material	<1	Confidential	Confidential	None	None	Confidential
Binder Resin	<1	Confidential	Confidential	None	None	Confidential
Organic Pigment	<1	Confidential	Confidential	None	None	Confidential
Metal oxide	<1	Confidential	Confidential	None	None	Confidential

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated

diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Full text of H indications: see Section 16

Note: components marked as "Not certified" are exempt from registration

# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation	Not applicable
	Net an all a shite

Contact with the skin Not applicable

Eye contact Not applicable

Ingestion Not applicable

4.2 Most important symptoms and effects, both acute and delayed

Toxicity

EyesNo known effectSkinNo known effect

Inhalation No known effect

Chronic effects

Main symptoms Over-exposure may give rise to mild respiratory irritation

4.3 Indication for immediate medical consultation and adequate medical treatment

Immediate medical intervention is not required.

# 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

Fire fighting CO2, dry chemicals, foam or water

Unsuitable extinguishing media

Not applicable

## 5.2 Special hazards arising from the substance or mixture

Specific risks Not applicable

## 5.3 Special protective actions for firefighters

**Specific method** No special fire fighting equipment is required. You can use fire extinguishers or sprinklers.

#### Fire Brigade Protection

Wear gloves, glasses and a mask if necessary.

# 6. MEASURES IN CASE OF ACCIDENTAL RELEASE

# 6.1 Personal precautions, protective equipment and emergency procedures

Not applicable

#### **6.2 Environmental precautions**

Not applicable

## 6.3 Methods and materials for containment and cleaning up

Not applicable

# 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Handling

Technical measurements Not applicable

Advice for safe handling

Not applicable.



#### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

To preserve the quality, store in a dry and well-ventilated place where the temperature does not exceed

along 35 degrees centigrade and without direct exposure to sunlight.

Packaging material Not applicable

#### 7.3 Specific end use

Print the image in printers and multi-purpose devices.

## 8. EXPOSURE CONTROL / INDIVIDUAL PROTECTION

#### 8.1 Control parameters

Exposure limit values

Prepared	USA OSHA PEL (TWA): 15mg / m3 (total powder) 5.0mg / m3 (respirable
	fraction).
	ACGIH TLV (TWA): 10mg / m3 (Inhalable fraction) 3.0mg / m3 (respirable
	fraction).
	DFG MAK: 4.0mg / m3 (Total powder) 1.5mg / m3 (Breathable fraction)
Substance	Not applicable

**8.2 Exposure controls** 

#### Occupational exposure control

Use in adequately ventilated areas. No precautions required in case of appropriate use.

#### Control of exposure in the environment

No precautions are necessary under normal use conditions.

## 8.3 Recommended measures for risk management, such as personal protective equipment (PPE)

- Respiratory protections None required in normal use
- Hand protection None required in normal use
- **Eye protection** None required in normal use

Protection of skin and body

- None required in normal use.
- Hygiene measures Wash hands after handling.



Version 2.00

AppearanceSolidPhysical stateDrumColorcobalt greenOdourNo dourImportant informationImportant stormentpHNot applicableMeasurement temperaturesSolidicableSpecific temperatures/ Important informationNot applicableMetting PointNot applicableBolling pointNot applicableMetting PointNot applicableProperties of the exploreNot applicableProperties of the exploreNot applicableProperties of the exploreInis product is considered non-explosive material under normal conditions of use.Properties of the exploreInis product is considered non-oxidizing material under normal conditions of use.Properties of the exploreNot applicableProperties of the exploreNot applicable<	9. PHYSICAL AND CHEMICAL PROPERTIES		
Physical state Drum   Color cobalt green   Odour No odour   Important information on >affety and the environment   pH Not applicable   Measurement temperatures in degrees centigrade. Specific temperatures / temperature ranges in which changes in the physical state can occur.   Boiling point Not applicable   Metting Point Not applicable   Metting Point Not applicable   Properties of the explosite Not applicable   Properties of the explosite Not applicable   Properties of the explosite This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Oxidizing properties Hot applicable   Evaporation degree (Butyl acetate = 1)   Not applicable Not applicable   Measuring temperature (>Eves Celsius) Not applicable   Vapor density (air = 1) Not applicable   Measuring temperature (>Eves Celsius) Not applicable   Vapor density (air = 1)	9.1 Information on basic physical and chemical properties		
Color   cobalt green     Odour   No odour     Important information   >===============     pH   Not applicable     Measurement temperatures / temperatures ranges in which changes in the physical state can occur.   Specific temperatures / temperature ranges in which changes in the physical state can occur.     Boiling point   Not applicable     Metting Point   Not applicable     Decomposition temperature   (degrees Celsius)     Not applicable   Not applicable     Properties of the explose   Not applicable     Properties of the explose   This product is considered non-explosive material under normal conditions of use.     Oxidizing properties   This product is considered non-explosive material under normal conditions of use.     Evaporation degree   (Butyl acetate = 1)     Not applicable   Not applicable     Steam pressure (Pa)   Not applicable     Vappr density (air = 1)   Not applicable	Appearance	Solid	
Odour   No odour     Important information   >===================================	Physical state	Drum	
Important information or levels   Safety and the environment     pH   Not applicable     Measurement temperatures / temperatures centigrade.   Specific temperatures / temperatures in which changes in the physical state can occur.     Boiling point   Not applicable     Mething Point   Not applicable     Decomposition temperature / degrees Celsius)   Not applicable     Properties of the explosit   Not applicable     Flash point   Not applicable     Properties of the explosit   This product is considered non-explosive material under normal conditions of use.     Quaditating properties   This product is considered non-oxidizing material under normal conditions of use.     Evaporation degree   (Butyl acetate = 1)     Not applicable   Not applicable     Steam pressure (Pa)   Not applicable     Measuring temperature:   Steam pressure (Pa)     Not applicable   Not applicable     Measuring temperature (Selsius)   Not applicable     Measuring temperature (Selsius)   Not applicable     Material under normal conditions of use.   Not applicable     Steam pressure (Pa)   Not applicable     Material under normal conditin	Color	cobalt green	
PH Not applicable   Measurement temperatures / temperature ranges in which changes in the physical state can occur.   Specific temperatures / temperature ranges in which changes in the physical state can occur.   Boiling point Not applicable   Metting Point Not applicable   Decomposition temperature (degrees Celsius) Not applicable   Not applicable Not applicable   Flash point Not applicable   Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1)   Not applicable Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (Jergees Celsius) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Measuring temperature (Jergees Celsius) Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm <sup>3</sup> ) 2.5-3.5 (as aluminum)	Odour	No odour	
Measurement temperatures in degrees centigrade.   Specific temperatures / temperature ranges in which changes in the physical state can occur.   Boiling point Not applicable   Melting Point Not applicable   Decomposition temperature (degrees Celsius) Not applicable   Properties of the explosion Not applicable   Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Dividizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Weasuring temperature (degrees Celsius)   Vapor density (air = 1) Not applicable   Properties Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Important information on	health, safety and the environment	
Specific temperatures / temperature ranges in which changes in the physical state can occur.   Boiling point Not applicable   Metting Point Not applicable   Decomposition temperature (degrees Celsius) Not applicable   Flash point Not applicable   Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Dividizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Wagor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	рН	Not applicable	
Boiling point Not applicable   Melting Point Not applicable   Decomposition temperature (degrees Celsius) Not applicable   Flash point Not applicable   Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (Jerrees Celsius)   Vapor density (air = 1)   Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (Jerrees Celsius)   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Measurement temperatures	s in degrees centigrade.	
Melting Point Not applicable   Decomposition temperature (degrees Celsius) Not applicable   Flash point Not applicable   Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   It applicable Steam pressure (Pa)   Not applicable Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Specific temperatures / tem	perature ranges in which changes in the physical state can occur.	
Decomposition temperature (degrees Celsius)   Not applicable   Flash point Not applicable   Properties of the explosion   This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Boiling point	Not applicable	
Not applicable   Flash point Not applicable   Properties of the explosion   This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (Jegrees Celsius)   Vapor density (air = 1)   Not applicable   Steam pressure (Pa) Not applicable	Melting Point	Not applicable	
Flash point Not applicable   Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Steam from the product is colse (air section (air section)) Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Decomposition temperatu	ure (degrees Celsius)	
Properties of the explosion This product is considered non-explosive material under normal conditions of use.   Dxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1) Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature Use Celsius   Vapor density (air = 1) Not applicable   Not applicable Steam pressure (Pa)   Not applicable Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)		Not applicable	
This product is considered non-explosive material under normal conditions of use.   Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1)   Not applicable Not applicable   Steam pressure (Pa) Not applicable   Vapor density (air = 1) Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Flash point	Not applicable	
use. This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1)   Not applicable Not applicable   Steam pressure (Pa) Not applicable   Wapor density (air = 1) Not applicable   Not applicable Not applicable   Vapor density (air = 1) Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Properties of the explosic	on	
Oxidizing properties This product is considered non-oxidizing material under normal conditions of use.   Evaporation degree (Butyl acetate = 1)   Not applicable Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (Jerrees Celsius)   Vapor density (air = 1)   Not applicable   Density (g / cm <sup>3</sup> )		This product is considered non-explosive material under normal conditions of	
Evaporation degree (Butyl acetate = 1)   Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (degrees Celsius)   Vapor density (air = 1)   Not applicable   Density (g / cm <sup>3</sup> ) 2.5-3.5 (as aluminum)		use.	
Evaporation degree (Butyl acetate = 1)   Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (Jegrees Celsius)   Vapor density (air = 1)   Not applicable   Density (g / cm <sup>3</sup> ) 2.5-3.5 (as aluminum)	Oxidizing properties	This product is considered non-oxidizing material under normal conditions of	
Not applicable   Steam pressure (Pa) Not applicable   Measuring temperature (degrees Celsius)   Vapor density (air = 1)   Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)		use.	
Steam pressure (Pa) Not applicable   Measuring temperature (degrees Celsius)   Vapor density (air = 1)   Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)	Evaporation degree	(Butyl acetate = 1)	
Measuring temperature (degrees Celsius)   Vapor density (air = 1)   Not applicable   Density (g / cm³) 2.5-3.5 (as aluminum)		Not applicable	
Vapor density (air = 1)Not applicableDensity (g / cm³)2.5-3.5 (as aluminum)	Steam pressure (Pa)	Not applicable	
Not applicableDensity (g / cm³)2.5-3.5 (as aluminum)	Measuring temperature (c	legrees Celsius)	
<b>Density (g / cm<sup>3</sup>)</b> 2.5-3.5 (as aluminum)	Vapor density (air = 1)		
		Not applicable	
Relative density Not applicable	Density (g / cm <sup>3</sup> )	2.5-3.5 (as aluminum)	
	Relative density	Not applicable	
Viscosity (Pa · s) Not applicable	Viscosity (Pa · s)	Not applicable	
Solubility (g / I) Insoluble	Solubility (g / l)	Insoluble	
Chloroform Solubility (g / I): slightly soluble	Chloroform	Solubility (g / I): slightly soluble	
Octanol / water partition coefficient			
Not available		Not available	
0.2 Other information			

9.2 Other information

Volatility (%) Below 0.1



# **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

Stable.

## 10.2 Chemical stability

Stable

## 10.3 Possibility of hazardous reactions

There is no significant hazardous reaction expected with intended use.

## 10.4 Conditions to avoid

Not applicable in normal use.

## 10.5 Incompatible materials to avoid

Not applicable in normal use.

# 10.6 Hazardous decomposition products

Decomposition products will not occur.

# **11. TOXICOLOGICAL INFORMATION**

The toxicity data below are based on the results of reprography materials and the like.

# 11.1 Information on toxicological effects

## Acute toxicity

Acute oral toxicity (LD50)

Not available

#### Acute dermal toxicity

Not available

#### Acute inhalation toxicity

Not available

#### Skin corrosion / irritation (PII)

Not available

Serious damage / irritation of the eyes

Not available

.

#### **Respiratory / cutaneous lesions**

	Not available .
Carcinogenicity	This product has no danger of carcinogenicity. Because, as for this product, is
	a drum form, and is strongly adhered to an aluminum substrate; the particle of
	photosensitive component needs not to be released
Germ cell Germ mutageni	icity
	Negative (Ames test).
Reproductive toxicity	It does not contain substances that are dangerous for reproductive health.
STOT-Single exposure	
	Not available
STOT-Repeated exposure	
	Not available
Suction hazard	It does not contain substances considered to be risky for reproductive health.

# **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

#### Acute toxicity to the aquatic environment

#### Acute toxicity to fish (LC50)

Not available.

## Acute toxicity for daphnia (LC50)

Not available

#### 12.2 Persistence and degradability

Not available

## **12.3 Bioaccumulative potential**

Not known in bioaccumulation

#### 12.4 Mobility in the soil

No data are available on the adverse effect one environment

## 12.5 Results of the PBT and vPvB assessment

It is not a PBT according to REACH annex XIII

## 12.6 Other adverse effects

It is little or not at all dangerous for the environment

# **13. DISPOSAL CONSIDERATIONS**

## 13.1 Disposal considerations

General informations Dispose of waste and residues in accordance with the requirements in



	accordance with the local laws in force.
Disposal methods	The disposal methods are based on the material supplied. Disposal must be
	carried out in compliance with the laws and regulations in force and with the
	characteristics of the material at the time of disposal. Make sure that the
	disposal procedures comply with local regulations.
Precautions	Do not dispose of the toner cartridge or toner in open flames. Hot toner may
	scatter and cause burns or other damage .

# **14. TRANSPORT INFORMATION**

#### 14.1 UN/ID No

Not applicable.

#### 14.2 Official shipping designation

Not applicable.

#### 14.3 Danger classes related to transport

Not applicable.

#### 14.4 Packing group

Not applicable.

## 14.5 Environmental hazards

It is little or not at all dangerous for the environment.

# 14.6 Special precautions for users

To preserve the quality, avoid direct sunlight.

14.7 Wholesale transport in accordance with MARPOL 73/78 and the IBC Code

Not applicable.

# **15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations and legislation specific to the substance or

## <u>mixture</u>

The substance is not classified as hazardous according to Regulation (EC) No 1272/2008

The substance is not subject to regulation (EC) No 1907/2006 Annex XVII.

# 15.2 Evaluation of chemical safety

Not applicable

# **16. OTHER INFORMATION**

#### References to the literature

ANSI Z400.1-1993.

ISO 11014-1.

IIARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 65.

Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds ", Lyon, pp. 149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U.

Mohr, S. Takenaka and R. Mermelstein (1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats "Fundamental and Applied Toxicology 17, pp. 280-299 IARC (2008)" IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93 "

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupation Exposure to Titanium Dioxide DRAFT "

ACGIH-TLV: Limit threshold values for chemicals and physical agents and biological exposure indexes

OSHA Tables Z: US Department of Labor, 29 CFR Part 1910, Tables Z-1, Z-2 and Z-3

NTP (USA): US Department of Health and Human Services National Toxicology Program

Annual Report on Carcinogens

DFG-MAK (GER): DFG list of MAK and BAT values

Symbol (EC): Regulations (EC) No 1272/2008

91/155 / EEC EU Directive 91/155 / EEC

(EC) No 1907/2006 AnnexXVII

: Regulations (EC) No 1907/2006 Annex XVII

(EC) No 689/2008: Regulations (EC) No 689/2008

Abbreviations

OSHA PEL: PEL (Permissible Exposure Limit, Tolerable Exposure Limit), in Occupational Safety

and Health Act

ACGIH-TLV: TLV (Threshold Limit Values) in the American Conference of

Governmental Industrial Hygienists

REACH: (CE) No. 1907/2006: Council regulation concerning registration, evaluation,

authorization and restriction of chemicals

SVHC: Substances of Very High Concern (extremely problematic substances)

ECHA: European Chemicals Agency (European Chemicals Agency)

DFG-MAK: MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft

RoHS: Restriction of the use of certain hazardous substances in electrical equipment and

electronic

TWA: Time Weighted Average (time weighted average)

IARC: International Agency for Research on Cancer (International Agency for Cancer Research)

NTP: National Toxicology Program

# Disclaimer

This information is provided without warranty either expressed or implied, but has been compiled as accurately as possible by RICOH COMPANY, LTD.

The information concerns only the specified specific material and is not related to use in combination with other materials or processes.

RICOH COMPANY, LTD assumes no legal responsibility for the use or reliability of this information.